This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problems Mailbox.

THIS PAGE BLANK (USPTO)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4: A61K 49/00, 49/02, 49/04	A1		national Publication Number: national Publication Date:	WO 85/ 02772 4 July 1985 (04.07.85)
(21) International Application Number: PCT (22) International Filing Date: 20 December 19	/SE84/00 84 (20.12		With international search repo	
(31) Priority Application Number: (32) Priority Date: 21 December 19 (33) Priority Country:	830706 83 (21.12		In English translation (filed b	n Swedish).
(71)(72) Applicants and Inventors: SCHRÖDES SEJ: Ferievagen 9, S-223 67 Lund (SE). Leif, G. [SE/SE]: Finngatan 9, S-223 62 I	SALFUI	ו,ע		-
(74) Agent: WIKLUND, Ingrid; Awapstent Al S-200 71 Malmö (SE).	B, Box 5	17,	•	
(81) Designated States: AT (European patent) pean patent), CH (European patent), D patent), DK, FI, FR (European patent) pean patent), JP, LU (European patent) pean patent), NO, SE (European patent).	E (Europ), GB (Ei), NL (Ei	ro-		
(54) Title: DIAGNOSTIC AND CONTRAST	AGENT			· · · · · · · · · · · · · · · · · · ·

(57) Abstract

Spheres or particles in which a diagnostic or contrast agent for use in, for example, NMR technique, magnetometry, ultrasonics or radiology has been enclosed and in which the matrix is built up of carbohydrates, polyamino acids or synthetic polymers.

* * * * * * * * * * * * * * * * * * *				
				•
				•
			•	

DIAGNOSTIC AND CONTRAST AGENT

BACKGROUND

The invention relates to response particles, preferably spheres, and their use as a diagnostic and contrast agent.

In diagnostic medicine, contrast agents are today being used primarily in X-ray diagnostics where an increased contrast effect is obtained during examination 10 of, for example, internal organs, such as the kidneys, the urinary tract, the digestive tract, the vascular system of the heart (angiography), etc. This contrast effect is based upon the fact that the contrast agent itself is less permeable to X-rays than the surrounding 15 tissue, as a result of which a different blackening of the X-ray plate is obtained.

X-raying implies certain radiation hazards, but during angiography the complication risk is associated in particular with the use of contrast agents.

In recent years, a number of new methods have been introduced in diagnostic radiology. One such method goes by the name NMR (Nuclear Magnetic Resonance) which provides information not only about the distribution of the water content in a specific tissue (in contradistinction 25 to radiology which merely gives a measure of the transmissibility of the X-rays in a specific tissue), but also about the chemical tissue structure which is different in normal and pathological tissue.

In the NMR method, a strong and homogeneous magnetic 30 field is applied across the tissue to be examined. By studying the so-called relaxation times of the protons of the molecules present, especially the protons of the water, it is possible to produce, via comprehensive and complex computer calculations, a visual image of the structure of the tissue concerned.


There is, however, an interest in being able to

	•					•
						, ,
	Seed to the seed of the seed o				ন বুটা ু পাইচুল ব	•
		***			V.	Ä
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					
	THE RESERVE SHEET SHEET STATES OF SHEET SH	· · · · · · · · · · · · · · · · · · ·	TROPEN CONTRACTOR			
· 初 ¹	i de la granda de de la granda de de la granda de la grand La granda de la gra					- 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1
(***) (***) (***) (***)				e e e e e e e e e e e e e e e e e e e		
				uniged.	and History	3
				· · · · · · · · · · •		ं. १९
5 변기 :						3
						43
Service Control of the Control of th	proposed the things have		general general kombungsperier i s		e e e e e e e e e e e e e e e e e e e	· , 4
N: -						4
			en e			e.
			42.			
r v k	・ 「軽さく・ない性」 - ・ 、 リケー					1.,
						1
e e						4
Signature of the second of the	and the second s		en e			#

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT AU BB BE BC CG CM DE DK	Austrialis Barbados Belgium Belgium Belgium Belgium Brazil Cantral African Republic Congo Switzerland Cameroon Germany, Pederal Republic of Denmark Flafand		Gebon United Kingdom Hungary Italy Jepan Domnomic People's Republic of Korsa Republic of Korsa Lischtanstain Sri Lanka Luzambourg Monaro Madegascar	ME MW NL NO RO SD SE SN SV TD TG US	Mauritania Malawi Notway Notway Romania Sudan Sweden Secont Union Chad Togo United States of America
i.	France	MI	Mail		



make a differential diagnosis between pieces of tissue having a high density of blood vessels and, alternatively, tissue having a low density of vessels. Such a situation which has considerable clinical interest, comprises the localisation of tumours which, in their periphery, have a higher density of vessels as compared with normal tissue.

One useful method in the context is to inject into the vascular system some type of particles responsive to a magnetic field and showing changes in the abovementioned relaxation times.

These magnetically responsive particles interfere with the above-mentioned homogeneous magnetic field in that there is formed, around each individual particle, a field gradient which in its turn changes the relaxation times.

Put more simply, this means that "black holes" are formed around each particle which may be visualised and thus give an impression of the vessel density in the 20 tissue in question.

In another diagnostic method, use may be made of the movability of magnetically responsive particles in a tissue. The basic principle of this method may be studied according to the following: If magnetically responsive particle are introduced into a magnetic field, the particles will align themselves in the direction of the field lines. If the field is removed or shut down, the magnetically responsive particles will change their position in response to processes in the tissue. The duration of this change may, however, vary between differ-30 ent tissues and also in dependence upon the localisation of the particles within the tissue in question. This variability of the response of the magnetic material may be utilised diagnostically. If magnetically responsive particles are administered to a patient, the distribution of the particles in different organs can be determined by means of a sensitive magnetometer capable of detecting

			•

the above-mentioned changes (Nature (1983) 302, 336).

Ultrasonics is another visualisation technique in which sound-waves are reflected differently against different types of tissue, depending upon the acoustic 5 impedance of these tissues. Also in this respect, there is an interest in being able to use some type of contrast agent in order to obtain an amplification of specific organs. Particles of different types have here been -shown to provide changed echo effects and a changed 10 resolution associated therewith (J. Acoust.Soc.Am. (1983) 74, 1006).

It is also possible to use magnetically responsive particles having a Curie point of about 42°C for use at hyperthermia. In this instance, the magnetically respon-15 sive particles are retained during the treatment of the hyperthermia by a magnetic field, but the moment the tissue temperature exceeds the Curie point, the particles disappear from the tissue because the magnetic responsiveness disappears at this temperature.

By labelling the particles with some gamma-radiating 20 nuclide (for example technetium-99m) it is possible to localise the particles by means of a gamma camera and thereby also to combine the examination with some of the other techniques referred to above.

When using particles within any of the abovementioned ranges, it is desired, in order to achieve optimal conditions, to be able to vary the amount of magnetically or otherwise responsive material, without affecting on that account the pharmacodynamic and cir-30 culatory characteristics of the particles. To be able to do this, one must use a technique which implies enclosing the responsive material in a matrix, preferably a matrix of spherical shape, and the matrix should per se satisfy the following criteria:

35 - biocompatible

25

- biologically degradable
- nonimmunogenic.

			-
			•

A matrix of this type normally is built up of some type of polymers which are held together by chemical bonds. Different types of polymers are available for making such matrices. However, the selection of polymers will be very limited if the above-mentioned criteria of the matrix are to be fulfilled.

One type of polymers that has proved useful in these contexts are the carbohydrates, especially those who are included in the body as a natural constituent.

10

Endogenous carbohydrates are represented by starch and glycogen, but also dextran may be included in this group because of its prolonged use as a blood substituent in medical service.

The production of a carbohydrate matrix satisfying 15 these criteria is described in PCT/SE82/00381, PCT/SE83/00106 and PCT/SE83/00268.

Another type of polymers that have proved to satisfy the said criteria are polyamino acids, such as proteins of the type albumin. The production of polyamino acid 20 matrices is disclosed in US-PS 4,247,406.

Further types of polymers are represented by synthetic polymers, such as acrylates, polystyrene etc.

The production of matrices from synthetic polymers is well documented in literature.

It is in this connection extremely advantageous if covalent cross-linking of the polymers can be avoided in the production of a useful matrix. For example, covalently cross-linked carbohydrate matrices have been found to produce transformed cells, in the form of granuloma, when used on humans (Am.Surg. (1955) 142, 1045).

When using covalently cross-linked proteins, there is a risk of immunological reactions because the resulting derivatised protein is not recognised by the body's immunity system as a protein belonging to the body. There are, however, for specific systems no alternatives to the covalent cross-linking, especially when using synthetic polymers or combinations of different polymers and cross-

		•

linking agents in order to obtain a useful system. As an example, it is possible to cross-link acrylic polymers with starch and, alternatively, to cross-link starch with acrylates.

Another useful possibility which is described in literature is the production of larger particles from smaller particles. For example, it is possible to produce, from 0.5 µm particles, conglomerates of larger particles, for example in the range of about 10 µm.


Another factor of importance to the injection of spheres into the vascular system is that the spheres have a size that prevents them from getting stuck in the capillary system of different tissues during the first passage. To prevent this, the particle must have a 15 diameter below 1 µm (Chem.Pharm.Bull. (1975) 23, 1452) and a surface structure of hydrophilic character.

When particles are injected into the vascular system, all particles will have collected after a given period of time in the liver or spleen (the RES system) 20 because the normal function of these organs is to purify the blood of foreign particles. At present, there is only one method described which is capable of collecting particles to organs other than those mentioned above, and this is by utilising magnetically responsive particles 25 or spheres.

This is of particular interest in the context of this invention because spheres containing magnetically responsive substances can be used and be made to stop in different tissues by means of the outer magnetic field. 30 When the magnetically responsive particles then are stuck in the desired tissue, the tissue in question can simply be visualised by means of the NMR method or some of the other techniques referred to above.

DESCRIPTION OF THE INVENTION

The invention relates to responsive particles, ·35 preferably spheres, and their use as a diagnostic and



25

30

35

contrast agent. The invention shows that it is possible to utilise spheres as contrast agents, the responsive material being enclosed within a matrix. The responsive material may consist of, for example, magnetite particles enclosed in the form of discrete particles of varying size, or in the form of complexed ions.


One conceivable matrix for use in the context of this invention consists of carbohydrates that have been stabilised by crystallization, which means that the type of chemical bonds holding the polymeric network together is not covalent in character, mainly hydrogen bonds, van der Waals forces or, in some cases, ion bonds.

As carbohydrate, use may be made of all conceivable variants, including carbohydrates of varying molecular 15 weight and/or substituted or otherwise derivatised carbohydrates. For example, it may be mentioned that it is possible to produce and use magnetically responsive carbohydrate particles in which the carbohydrate is of starch origin and low-molecular of the type glucose, maltose, dextrins etc., and successively increasing molecular weight up to native potato starch having a molecular weight of several millions. The same molecular weight range is applicable to other carbohydrate groups, such as dextran or glycogen.

Another matrix for use in the complex of this invention may consist of polyamino acids, such as the protein albumin in which the matrix is stabilised by heating and the cohering forces are not covalent in character, of the type hydrophobic interactions, hydrogen bonds, van der Waals forces or ion bonds. In a manner similar to what has been stated above, it is also possible to use synthetic polymers or combinations as matrix.


The following Example should not be regarded as restrictive and merely serves to illustrate the main features of the invention. EXAMPLE

Dextran spheres having a size of about 1 µm with



enclosed magnetite particles (size 10-20 nm) were suspended in human serum. The relaxation times of the solution were measured with an NMR apparatus (Praxis II, Alnor Instrument AB, Nyköping) and compared with the relaxation times for the same serum without magnetically responsive dextran spheres. The following values of Tl and T2,—respectively, were obtained.

	•			Tl (ms)	T2 (ms)
	Serum without particles:			1660	400
10	Serum with particles: conc.:	0.05	mg/ml	1342	109
		0.1	mg/ml	1306	82.2
		0.2	mg/ml	1147	52.6
		0.5	mg/ml	968	30.7
		1.0	mg/ml	813	24.0
15	•	2.0	mg/ml	688	19.9
		4.0	mg/ml	691	22.9



CLAIMS

- 1. A sphere or particle for use in diagnostics or as a contrast agent, c h a r a c t e r i s e d in that it consists of a matrix and a diagnostic and/or contrast agent enclosed within said matrix.
- A sphere or particle as claimed in claim 1,
 c h a r a c t e r i s e d in that the diagnostic or
 contrast agent is magnetically responsive.
- A sphere or particle as claimed in claim 1,
 c h a r a c t e r i s e d in that the diagnostic or
 contrast agent is X-ray impermeable.
 - 4. A sphere or particle as claimed in claim 1, c h a r a c t e r i s e d in that the diagnostic or contrast agent reflects sound waves.
- A sphere or particle as claimed in claim 1,
 c h a r a c t e r i s e d in that the contrast agent is a radioactive nuclide.
 - 6. A sphere or particle as claimed in one or more of claims 1-5, c h a r a c t e r i s e d in that the matrix has been stabilised by means of non-covalent bonds.
- 7. A sphere or particle as claimed in one or more of claims 1-6, c h a r a c t e r i s e d in that the matrix material consists of carbohydrates and their derivatives, polyamino acids or synthetic polymers.
- 8. A sphere or particle as claimed in claim 7, 25 c h a r a c t e r i s e d in that the matrix, when it is a synthetic polymer, has been stabilised by means of covalent bonds.
- A sphere or particle as claimed in one or more of claims 1-8, c h a r a c t e r i s e d in that its dia meter is in the range of 0.01-1000 μm, preferably below 1 μm.
 - 10. A sphere or particle as claimed in one or more of claims 1-9, characterised in that the particle per se has been built up of conglomerates of smaller particles or spheres.

			· · · · · · · · · · · · · · · · · · ·
Ç.		om Williams	
	마음 등 하는 사람들이 되었다. 이 생각이 하는 것으로 하는 것으로 하는 것으로 하는 것으로 하는 것이 되었다. 그는 사람들이 생각하는 것이 되었다. 그렇다는 것이 없다는 것이 없다. 		
€			
\$ ·			
25			
Ť	and a second of the second second of the second of the The second of the	jandom en Ta	(1) 10 (金樂 等 (1)
多			
\$			
Ť			
*	ter en la grande de la companya de La companya de la co		
K			rs.
r.			
	and the second of the second o		

- INTERNATIONAL SEARCH REPORT

International Application No PCT/SE84/00437


According to International Patent Classification (IPC) or to both P	According to International Patent Classification (IPC) or to both National Classification and IPC (I			
A 61 K 49/00, 49/02, 49/04	-			
M FIELDS SEARCHED				
Malmum Occur	nentation Secreted ?	· · · · · · · · · · · · · · · · · · ·		
Cleselfication System	Classification Symbols			
IPC 1 A 61 k 27/04, 27/08 IPC 2 A 61 K 29/00,02, 43/00 IPC 3-4 A 61 K 43/00, 49/00,02		/		
Decumentation Searched other	r then Minimum Documentation hits are included in the Fields Searched *			
SE, ND, DK, FI classes as above				
IR DOCUMENTS CONSIDERED TO SE RELEVANT				
Category • Citetion of Document, 11 with Indication, where e	spropriets, of the relevant passages 12	Relevant to Claim No. 13		
X SE, B, 372 421 (MINNESOTA M RING COMPANY) 23 December 1974	INING AND MANUFACTU-	1-10		
X SE, 8, 7902009-5 (NEW ENGLA 3 January 1984	ND NUCLEAR CORP)	1-10		
X SE, 8, 7407461-8 (PHARMACIA 19 October 1981 See claims, page 2-3	AB)	1-10		
X SE, 8, 7407462-6 (PHARMACIA 19 October 1981 See claims, page 2-3	AB)	1-10		
X SE, 8, 7607673-6 (THE PROCTI 1 November 1982 See claims, page 3	ER & GAMBLE COMPANY)	1-10		
X EP, A2, 0 063 002 (RE SEARCH 2 October 1982 4 JP, 58013524 US, 4427646 AT, E, 11372		1-10		
* Special categories of cited documents: 16 "A" document defining the general state of the ort which is not considered to be of positioular relevance	CIUM IO MEGITALINA UNA MENGLORI	he international filing data of with the application but o or theory underlying the		
"E" earlier document but published on or after the international	invention "X" document of particular relevant cannot be considered nevel or			
"L" decument which may throw doubte an priority claim(e) or which is clied to establish the gubication date of enclor	invelve an inventive step	i i		
citation or other apociei reason (so specified) "O" document referring to an oral disclosure, use, exhibition or				
ether means. "P" fearment published prior to the international filing date but later than the priority data distinct.	document is combined with one ments, such combinesten being a in the ca. "A" document member of the same a			
IV. CERTIFICATION				
Date of the Actual Completion of the International Search	Date of Making of this international So	erch Report		
1985-03-13	1985 -03- 26			
International Searching Authority	Signature at Authorized Offices			
Swedish Patent Office	Solveig Prikason	<u></u>		

		1,4
		والمعدور والإراد
and the state of t	and the second of the second o	
	BANGANAN BANGAN BANGAN PENGANUAN BANGAN BANGAN BANGAN BANGAN BANGA	
	an de la companya de La companya de la co	

-International Application No. PCT/SE84/00437

PURTHER	INFORMATION CONTINUED FROM THE SECOND SHEET
11	Fields searched (cont)
	National Cl 30H:2/01, 10
	US C1 424:1, 1.1, 1.5
į	·
•	
V. 0855	RVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE
	IORES essent has not been established in respect of certain claims under Article 17(3) (c) for the following recenns:
1 Claim	numbers because they reless to subject metter not required to be searched by this Authority, numbers
2[Claim	numbers because they relate to parts of the international application that do not comply with the prescribed require-
mente	te such an extent that ne meaningful international search can be carried out, specifically:
	rumbers bussuite they are dependent claims and ere not drafted in accordance with the second and third centerices of ule 6.4(a).
VI 0861	IRVATIONS WHERE UNITY OF INVENTION IS LACKING 1
This internat	lons! Searching Authority faund myltiple inventions in this international application as follows:
f. As all r	occired additional search fees were timely paid by the applicant, this international search report covers off searchable cigims
01.040.1	Mernational application. y same of the required additional easith fees were limely paid by the applicant, this international easith report covers only
- those c	telms of the International application for which toes were paid, specifically claims:
& No rest	pired additional assists fees were timely paid by the applicant. Consequently, this international essent report to restricted to
the law	inten first mentioned in the claims; it is covered by claim numbers:
4 🗖 🚓 🖘	
A0 60 p	santhable claims could be courshed without effort justifying an additional fee, the intermetional Searching Authority did not armont of any estatriums for.
_ ·	ditional search (sea were assembanied by esclisant's arelest.
	lest accompanied the payment of additional seaton look.

Form PCT/ISA/816 (supplemental sheet (2)) Lignuary 1988)



IIL DOCUMENTS CONSIDERED TO SE RELEVANT (CONTINUED FROM THE SECOND SHEET)			
Category *	Citation o	if Cocument, with indication, where appropriate, of the relevant passages	Relevant to Cisim No
X		3 720 761 (WILLIAM W HUNTER) 13 March 1973 NL, 6915452 DE, 1951769 FR, 2020684 GB, 1255670 CA, 949880	1-10
x	WO, A1	,78/00005 (KLAUS H MOSBACH) 7 December 1978 JP, 54017110 EP, 0007932 GB, 2035798 SE, 7706431 SE, 431214	1+10
X	WO, Al,	83/01738 (ULF SCHRÖDER & KLAUS MOSBACH) 26 May 1983 AU, 91274/82 EP, 0093757	1-10
X	DE, Al,	2 744 493 (JOHN WYETH & BROTHER LTD). 13 April 1978 See claims, page 7-9 NL, 7710876 BE, 859291 FR, 2366835 LU, 78259 GB, 1548022 JP, 53044619 AU, 28825/77 CA, 1083042 AU, 513845 CH, 633717 US, 4371516 CA, 1097233 US, 4305502	1-10
A	WO, Al,	82/01006 (NATIONAL RESEARCH DEVELOPMENT CORPORATION) 1 April 1982	1-10
A	DE, C2,	2 336 546 (PHARMACIA AB) 31 January 1974	1-10
A	WO, A1,	82/00099 (KEY PHARMACEUTICALS INCORPORATED) 21 January 1982	1-10
P	WD, A1,	84/00294 (ULF SCHRÖDER) 2 February 1984	1-10
Р	CH, A5,	641 682 (FELIX DAENIKER) 15 March 1984	1-10

Form PCT/ISA/310 (outra sheet) (January 1985)

THIS PAGE BLANK (USPTO)